




Pico Neo 3 Pro



Hardware



Specifications

Headset	wireless
Measurement and weight	190mm (length) x 135mm (height) x 112mm (wide) weight: 673g
System	CPU: Qualcomm XR2, Kryo 585, 8 Kerne, 64 Bit, bis zu 2,84 GHz maximum frequency, 7 nm process GPU: Adreno 650, 587 MHz clock frequency RAM: 6 GB, LPDDR4X Operating system: Android 10
Connection	WLAN: 2,4 G & 5G, 2 X 2 MIMO, WLAN6 802.11b/g/n/ac/ax Bluetooth: BT 5.1
Screen	Screen: 5.5 inch x 1 SFR TFT Resolution: 3664 x 1920 pixels PPI: 773 Refresh rate: 72/90 Hz
Lens	FOV: 98 lens: Fresnel IPD: PICO Neo3 Pro Physical setting: 58/63.5/69 mm Eye protection: This function is certified by TÜV Rheinland for low blue light and can be activated in the system settings
Sensors	9-axis sensor: 1 kHz sampling frequency P-Sensor: Face proximity sensor
Controller	Controller: 2 x 6DoF controllers with optical positioning and linear resonance actuators. Button: on/off, app (back), trigger, home, louder, quiet Battery AA
Design und ergonomics	Straps: Elite strap with the strap selector, the side straps can be rotated up for quick wearing Foam: Comfortable and replaceable

	Ergonomic design: The headset on the front and the battery on the back provide a good weight distribution for a comfortable wearing experience
Performance	Charging: QC3.0 support Battery: 5300 mAh
Audio	Speaker: Integrated stereo dual speakers Microphone: Omnidirectional dual microphone with noise reduction
Data transfer	USB Type-C 3.0: 1. USB3.0 data transfer. 2. 5 V / 1 A scalable OTG power supply. 3. USB 3.0 OTG scalability (adapter cable required). 4. video output via DP (content can be transferred from headset to TV without interruption with an adapter cable) DP: Experience SteamVR in 4K by connecting it to your PC with the DP cable 3.5 mm jack plug: Supports third-party stereo earphones
Display	LED-display: A three-color LED light indicates whether the device is on/off or charging
Release date	2021
Glasses friendly?	Yes
Store	Pico Store
